



## Safety Data Sheet

Material Name: SAFETY-KLEEN CLEAR CHOICE CLEANING SOLVENT

SDS ID: 82730

### Section 1 - PRODUCT AND COMPANY IDENTIFICATION

**Material Name**

Safety-Kleen Clear Choice Cleaning Solvent

**Product Code**

5120, 5125

**Synonyms**

Acetone, 2-Propanone, Dimethyl Ketone

**Product Use Recommended Use**

VOC exempt solvent used to clean coating equipment (e.g., paint spray guns). If this product is used in combination with other products, refer to the Safety Data Sheet for those products.

**Restrictions on Use**

None known.

**MANUFACTURER**

Safety-Kleen Systems, Inc.  
42 Longwater Drive  
Norwell, MA 02061-9149  
U.S.A.

**SUPPLIER**

Safety-Kleen Canada, Inc.  
25 Regan Road  
Brampton, Ontario, Canada L1A 1B2

[www.safety-kleen.com](http://www.safety-kleen.com)

Phone: 1-800-669-5740

Emergency Phone #: 1-800-468-1760

**Issue Date**

November 6, 2019

**Supersedes Date**

September 6, 2018

**Original Issue Date**

January 27, 1998

### Section 2 - HAZARDS IDENTIFICATION

**Classification in accordance with Schedule 1 of Hazardous Products Regulations (HPR) (SOR/2015-17) and paragraph (d) of 29 CFR 1910.1200**

Flammable Liquids - Category 2

Serious Eye Damage/Eye Irritation - Category 2A

Specific Target Organ Toxicity - Single Exposure - Category 3

**GHS Label Elements**

**Symbol(s)**



**Signal Word**

Danger

# Safety Data Sheet

Material Name: Clear Choice Cleaning Solvent

SDS ID: 82730

## Hazard Statement(s)

Highly flammable liquid and vapor.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.  
May cause respiratory irritation.

## Precautionary Statement(s)

### Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling.

### Response

In case of fire use carbon dioxide, alcohol resistant foam, dry chemical, water spray, or water fog. If exposed or concerned: Call a POISON CENTER or doctor/physician. IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

### Storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.

### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Other hazards

Repeated exposure may cause skin dryness or cracking.

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
67-64-1	Acetone	100

## Section 4 - FIRST AID MEASURES

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical advice/attention.

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

# Safety Data Sheet

Material Name: Clear Choice Cleaning Solvent

SDS ID: 82730

## Most Important Symptoms/Effects

### Acute

Causes serious eye irritation. May cause drowsiness and dizziness.

### Delayed

Repeated exposure may cause skin dryness or cracking.

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively. Call 1-800-468-1760 for additional information.

## Section 5 - FIRE FIGHTING MEASURES

### Extinguishing Media

#### Suitable Extinguishing Media

Carbon dioxide, alcohol-resistant foam, dry chemical, water spray, or water fog.

#### Unsuitable Extinguishing Media

Do not use high-pressure water streams.

### Special Hazards Arising from the Chemical

Highly flammable liquid and vapor. Avoid friction, static electricity and sparks. The vapor is heavier than air. Vapors or gases may ignite at distant ignition sources and flash back. Empty containers may contain product residue. Runoff to sewer may cause a fire or explosion hazard.

### Hazardous Combustion Products

Decomposition and combustion materials may be toxic. Burning may produce carbon monoxide and unidentified organic compounds.

### Fire Fighting Measures

Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.

Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

Apply water from a protected location or from a safe distance. Dike for later disposal.

### Special Protective Equipment and Precautions for Firefighters

A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

## Section 6 - ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8. Avoid release to the environment.

### Methods and Materials for Containment and Cleaning Up

Remove all ignition sources. Do not touch or walk through spilled product. Stop leak if you can do it without risk. Wear protective equipment and provide engineering controls as specified in SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. A vapor suppressing foam may be used to reduce vapors. Contain spill away from surface water and sewers. Contain spill as a liquid for possible recovery, or sorb with compatible sorbent material and shovel with a clean, sparkproof tool into a sealable container for disposal. Additionally, for large spills: Water spray may reduce vapor, but may not prevent ignition in closed spaces. Dike far ahead of liquid spill for collection and later disposal. There may be specific federal regulatory reporting requirements associated with spills, leaks, or releases of this product. Also see SECTION 15: REGULATORY INFORMATION.

# Safety Data Sheet

Material Name: Clear Choice Cleaning Solvent

SDS ID: 82730

## Section 7 - HANDLING AND STORAGE

### Precautions for Safe Handling

Keep away from heat, sparks, or flame. Where flammable mixtures may be present, equipment safe for such locations should be used. Use clean tools and explosion-proof equipment. When transferring large volumes of product, metal containers, including trucks and tank cars, should be grounded and bonded. Do not breathe vapor or mist. Use in a well ventilated area. Avoid contact with eyes, skin, clothing, shoes. Do not smoke when using this product.

### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed when not in use and during transport. Do not pressurize, cut, weld, braze, solder, drill, or grind containers. Keep containers away from heat, flame, sparks, static electricity, or other sources of ignition; containers may explode and cause injury or death. Empty product containers may retain product residue and can be dangerous. See SECTION 14: TRANSPORTATION INFORMATION for Packing Group information.

### Incompatible Materials

Avoid strong oxidizing materials.

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### Component Exposure Limits

Acetone	67-64-1
Alberta	500 ppm TWA ; 1200 mg/m3 TWA; 750 ppm STEL ; 1800 mg/m3 STEL
British Columbia, Nova Scotia, Prince Edward Island	250 ppm TWA; 500 ppm STEL
Manitoba	250 ppm TWA
New Brunswick	500 ppm TWA ; 1188 mg/m3 TWA; 750 ppm STEL ; 1782 mg/m3 STEL
Northwest Territories, Nunavut, Ontario, Saskatchewan	500 ppm TWA; 750 ppm STEL
Quebec	500 ppm TWAEV ; 1190 mg/m3 TWAEV; 1000 ppm STEV ; 2380 mg/m3 STEV
Yukon	1000 ppm TWA ; 2400 mg/m3 TWA; 1250 ppm STEL ; 3000 mg/m3 STEL
ACGIH	250 ppm TWA; 500 ppm STEL
OSHA Final	1000 ppm TWA; 2400 mg/m3 TWA
NIOSH	250 ppm TWA; 590 mg/m3; TWA; 2500 ppm IDHS (10% LEL)

# Safety Data Sheet

Material Name: Clear Choice Cleaning Solvent

SDS ID: 82730

## ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

### Acetone (67-64-1)

25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific )

## Engineering Controls

Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below applicable exposure limits.

## Individual Protection Measures, such as Personal Protective Equipment

### Eye/face protection

Wear safety glasses. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Eye wash fountain and emergency showers are recommended. Contact lens use is not recommended

### Respiratory Protection

A respiratory protection program which meets USA's OSHA General Industry Standard 29 CFR 1910.134 or Canada's CSA Standard Z94.4-M1982 requirements must be followed whenever workplace conditions warrant a respirator's use. Consult a qualified Industrial Hygienist or Safety Professional for respirator selection guidance.

### Glove Recommendations

Where skin contact is likely, wear neoprene, nitrile, or equivalent protective gloves; use of natural rubber or equivalent gloves is not recommended. Wear protective gloves/clothing and eye/face protection.

### Protective Materials

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses, gloves, and lab coat or apron.

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Clear, colorless liquid	<b>Physical State</b>	Liquid
<b>Odor</b>	Slightly sweet odor	<b>Color</b>	Clear, colorless
<b>Odor Threshold</b>	20 ppm	<b>pH</b>	Not available
<b>Melting Point</b>	Not available	<b>Boiling Point</b>	56 °C (133 °F)
<b>Boiling Point Range</b>	Not available	<b>Freezing point</b>	Not available
<b>Evaporation Rate</b>	6 (Butyl acetate = 1 )	<b>Flammability (solid, gas)</b>	Not available
<b>Autoignition Temperature</b>	465 °C (869 °F)	<b>Flash Point</b>	-20 °C (-4 °F)
<b>Lower Explosive Limit</b>	2.5 vol%	<b>Decomposition temperature</b>	Not available
<b>Upper Explosive Limit</b>	13 vol%	<b>Vapor Pressure</b>	180 mmHg @ 68 °C (20 °C )
<b>Vapor Density (air=1)</b>	Not available	<b>Specific Gravity (water=1)</b>	0.79 (Water = 1 )
<b>Water Solubility</b>	(Complete )	<b>Partition coefficient: n-octanol/water</b>	Not available

# Safety Data Sheet

Material Name: Clear Choice Cleaning Solvent

SDS ID: 82730

<b>Viscosity</b>	Not available	<b>Solubility (Other)</b>	Not available
<b>Coefficient of Water/Oil Dist</b>	-0.24	<b>Density</b>	6.6 lb/gal (US )
<b>Volatile Organic Compounds (As regulated)</b>	0 WT%; 0 LB/US gal; 0 g/L; As per 40 CFR Part 51.100(s) Vapor Pressure: 180 mmHg @ 68°F (20°C); Not Photochemically Reactive Consult your state or local air district for location specific information.		

## Other Information

No additional information is available.

## Section 10 - STABILITY AND REACTIVITY

### Reactivity

No reactivity hazard is expected.

### Chemical Stability

Stable under normal temperatures and pressures.

### Possibility of Hazardous Reactions

Will not polymerize under normal temperature and pressure conditions.

### Conditions to Avoid

Heat, sparks, or flame and incompatible materials.

### Incompatible Materials

Avoid strong oxidizing materials.

### Hazardous decomposition products

None under normal temperatures and pressures. See also SECTION 5: HAZARDOUS COMBUSTION PRODUCTS.

## Section 11 - TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

#### Inhalation

May cause drowsiness or dizziness. May cause respiratory tract irritation.

#### Skin Contact

Repeated exposure may cause skin dryness or cracking.

#### Eye Contact

Causes serious eye irritation.

#### Ingestion

May be harmful if swallowed.

### Acute and Chronic Toxicity

#### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

#### Acetone (67-64-1)

Oral LD50 Rat 5800 mg/kg; Dermal LD50 Rabbit >15700 mg/kg; Inhalation LC50 Rat 50100 mg/m<sup>3</sup> 8 h

### Product Toxicity Data

#### Acute Toxicity Estimate

No data available.

#### Immediate Effects

Causes serious eye irritation. May cause drowsiness or dizziness. Respiratory tract irritation.

#### Delayed Effects

Repeated exposure may cause skin dryness or cracking.

# Safety Data Sheet

Material Name: Clear Choice Cleaning Solvent

SDS ID: 82730

## Irritation/Corrosivity Data

Causes serious eye irritation, respiratory tract irritation.

## Respiratory Sensitization

No information available for the product.

## Dermal Sensitization

No information available for the product.

## Component Carcinogenicity

Acetone	67-64-1
ACGIH:	A4 - Not Classifiable as a Human Carcinogen

## Germ Cell Mutagenicity

Based on best current information, there is no known mutagenicity associated with this product.

## Tumorigenic Data

Based on best current information, there is no known teratogenicity associated with this product.

## Reproductive Toxicity

Based on best current information, there is no known reproductive toxicity associated with this product.

## Specific Target Organ Toxicity - Single Exposure

Central nervous system, respiratory tract irritation.

## Specific Target Organ Toxicity - Repeated Exposure

No significant target effects reported.

## Aspiration hazard

No information available for product.

## Medical Conditions Aggravated by Exposure

May cause blood disorders, eye disorders, respiratory disorders, central nervous system disorders.

## Additional Data

No additional information is available.

## Section 12 - ECOLOGICAL INFORMATION

## Ecotoxicity

Toxic to aquatic life.

## Component Analysis - Aquatic Toxicity

Acetone	67-64-1
Fish:	LC50 96 h Oncorhynchus mykiss 4.74 - 6.33 mL/L; LC50 96 h Pimephales promelas 6210 - 8120 mg/L [static ]; LC50 96 h Lepomis macrochirus 8300 mg/L
Invertebrate:	EC50 48 h Daphnia magna 10294 - 17704 mg/L [Static ] EPA ; EC50 48 h Daphnia magna 12600 - 12700 mg/L IUCLID

## Invertebrate Toxicity

No additional information is available.

## Persistence and Degradability

No information available for the product.

## Bioaccumulative Potential

No information available for the product.

## Mobility

No information available for the product.

## Other Toxicity

No additional information is available.

# Safety Data Sheet

Material Name: Clear Choice Cleaning Solvent

SDS ID: 82730

## Section 13 - DISPOSAL CONSIDERATIONS

### Disposal Methods

Dispose of in accordance with all applicable federal, state and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. D001, U002. Processing, use, or contamination by the user may change the waste code(s) applicable to the disposal of this product. Contact Safety-Kleen regarding proper recycling or disposal.

## Section 14 - TRANSPORT INFORMATION

### US DOT Information:

Shipping Name: ACETONE

Hazard Class: 3

UN/NA #: UN1090

Packing Group: II

Required Label(s): 3

Additional information: RQ = 5000lbs

### IATA Information:

Shipping Name: ACETONE

Hazard Class: 3

UN#: UN1090

Packing Group: II

Required Label(s): 3

International Bulk Chemical Code

This material contains one or more of the following chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Acetone	67-64-1
IBC Code:	Category Z

### IMDG Information:

Shipping Name: ACETONE

Hazard Class: 3

UN#: UN1090

Packing Group: II

Required Label(s): 3

### TDG Information:

Shipping Name: ACETONE

Hazard Class: 3

UN#: UN1090

Packing Group: II

Required Label(s): 3

## Section 15 - REGULATORY INFORMATION

### U.S. Federal Regulations

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

Acetone	67-64-1
CERCLA:	5000 lb final RQ ; 2270 kg final RQ

### SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

Flammable; Serious Eye Damage/Eye Irritation; Specific Target Organ Toxicity

### U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Acetone	67-64-1	Yes	Yes	Yes	Yes	Yes



# Safety Data Sheet

**Material Name: Clear Choice Cleaning Solvent**

**SDS ID: 82730**

**WARNING!** This product can expose you to chemicals including benzene which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## **Canada Regulations**

### **CEPA - Priority Substances List**

None of this product's components are on the list.

### **Ozone Depleting Substances**

None of this product's components are on the list

### **Council of Ministers of the Environment - Soil Quality Guidelines**

None of this product's components are on the list

### **Council of Ministers of the Environment - Water Quality Guidelines**

## Section 16 - OTHER INFORMATION

NFPA Ratings: Health: 1 Fire: 3 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

### **Summary of Changes**

Section 1.

### **Key / Legend**

ACGIH - American Conference of Governmental Industrial Hygienists; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CFR - Code of Federal Regulations (US); CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CPR - Controlled Products Regulations; DOT - Department of Transportation; DSL - Domestic Substances List; EPA - Environmental Protection Agency; F - Fahrenheit; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NDSL - Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; RCRA - Resource Conservation and Recovery Act; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; WHMIS - Workplace Hazardous Materials Information System (Canada).

### **Other Information**

#### **Disclaimer:**

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, Safety-Kleen assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplied to the user.